



Luber-finer
Product Bulletin
April
2008



Bolded items are this month's new additions to the bulletin.

Please contact your Luber-finer Representative for pricing information.

Cross Reference is for general reference only. Check for correct filter application. Any use of this bulletin as in interchange to determine filter application is done at the installers risk.

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
LK301D	Addition	Detroit Diesel Maintenance Kit	Includes: 2-LFP2160 and LFP816FN	N/A	1	7.6	0.57
LK303M	Addition	Mack Maintenance Kit	Includes: 2-LFP3191, 1-LFF3477, 1-LFF4470, 1-LP3985	N/A	1	9	0.86
LK304CA	Addition	Caterpillar Maintenance Kit	Includes: 1-LFP4005RN, 1-LFF202, 1-LFF2749	N/A	1	10.9	0.66
LK305GM	Addition	GM Maintenance Kit	Includes: 1-PH454, 1-LAF2032, 1-G481, 1-LFH8737	N/A	1	7.9	2.12
LK306C	Addition	Cummins Maintenance Kit	Includes: 1-LFP3000, 1-LFF1003, 1-LFW4071, 1-LFF5488	N/A	1	9.3	0.63
LAF334MXM	Addition	Extended/severe service version of LAF334	N/A	O.D. 11.09 I.D. 6.72 Height 13.50	1	7.8	1.08
* PC429	Addition	Isuzu 8943867550	Fram FV368	N/A	1	0.1	0.00
* T660	Addition	Infiniti (1996-01), Mercury (1993-02) Nissan (1992-02)	Ford F3XY-7A098A; Wix 58602; Nissan 31728-80X03; Baldwin 18011; Fleetguard TF15046	N/A	1	0.6	0.00
T770	Addition	Dodge/Jeep 2WD (1999-2008)	Chrysler 4800029AA, 4799662; Baldwin 18290,19999, Wix 58846; Fleetguard TF15073	N/A	6	10.7	1.44
* PC793	Addition	Subaru 6 cyl. 3.0L (2001-07)	Subaru 11810-AA021	N/A	1	0.1	0.00
PC810	Addition	Kia Rio (2001-05)	Kia OK30E-13-890	N/A	12	1	0.06
T865	Addition	Ford V8 6.0L Diesel Turbo (2003-06)	Ford 3C3Z-7A098-AA	Length 10.93 Width 4.06 Height 6.07	3	4.5	1.04
T866	Addition	Ford Explorer (2003-07) Lincoln Aviator (2004-05); Mercury Mountaineer (2002-07)	Motorcraft FT140; Fram FT1224; Baldwin 20002	N/A	3	3.8	0.51
* T877	Addition	Mazda (1995-02)	Mazda FX01-19-815; Wix 58606; Fram FT1159	N/A	1	1.1	0.00
* T878	Addition	Mercedes Benz (1975-99)	Mercedes 1262770295; Wix 58987,58990; GM 25174486	N/A	1	1.1	0.00
LFP959FHE	Addition	High efficiency upgrade of Detroit Diesel 12 & 16 cyl secondary fuel	Fleetguard FF5616	O.D. 4.67 Height 8.95 I.D. 1 1/16-16 Thd	6	15.8	0.93
P969	Addition	BMW 3 Series 525i, 525xi (2006-08)	BMW 11427541827; Fram CH10075	O.D. 2.89 I.D. 1.61 Height 3.11	12	3	0.33
* P973	Addition	Mercedes w/Twin Turbo eng (2003-08)	Mercedes 2751800009; Wix 57198	O.D. 2.50 I.D. 1.22 Length 5.31	1	0.2	0.51
P979	Addition	Toyota 2007-08 Tundra V8-5.7L	Toyota 04152-38020; Wix 57041; Fram CH10295;	O.D. 2.70 I.D. 1.10 Height 4.61	12	2.6	0.50
G1055	Addition	Jeep Grand Cherokee (2002-05)	Baldwin BF7780; Wix 33750; Chrysler 52100283AG	O.D. 2.15 Height 6.80 Inlet .31 / Outlet .38	6	4.9	0.74
G1057	Addition	Jeep Liberty (2002-04)	Chrysler 52100402AE, 52100402AF; Wix 33659	O.D. 2.06 Height 3.50 inlet 3/8" quick disconnect outlet 5/16" quick disconnect	1	1	0.43
G1063	Addition	Ford Expedition (3/18/02-06)	Ford 2L1Z-9155-AA; Wix 33749; Motorcraft FG-1063; Baldwin BF7805;	N/A	12	4.8	0.68
G1114	Addition	Ford Crown Victoria, Pickup F Series (2006-07)	Motorcraft FG-1114	O.D. 2.16 Length 7.08 Inlet/Outlet .31	12	4.2	0.50
LAF1818MXM	Addition	Caterpillar 1327172; Extended/severe service version of LAF1818	Cat 1327172; Baldwin LL2453; Donaldson EAF5040, P182040; Fleetguard AF899M	O.D. Top 18.45/Btm 17.61 I.D. Top .94/Btm 12.23 Height 23.50	1	23.3	5.00
LAF1826F	Addition	Outer Foam wrap for the LAF1826 - Caterpillar 8N2555	Caterpillar 8N2555; Fleetguard AF26169; Baldwin PA2653 Foam	Length 60.31 Width 9.50 Height .62	1	0.48	0.42
L2020FN-2	Addition	Fits Racor 1000FH Series housings	Baldwin PF7890	O.D. 4.68 Height 9.63 I.D. Top .66 / Bottom .82	12	16.9	2.12

* Non-Returnable

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
L2020FN-30	Addition	30 micron version of the L2020FN	Baldwin PF7890-30	O.D. 4.36 Height 9.63 I.D. Top .83 / Bottom .64	12	16.9	2.12
LP2029	Addition	Ford LCF series Trucks (w/V275 4.5L engine)	Ford 6E7Z-6731-D; Motorcraft FL2029; Harvester 1847174C91	O.D. 3.28 Height 5.36 I.D. Top 1.60 / Bottom .36	6	1.7	0.42
LAF2342	Addition	White 6810 Tractor	Massey Ferguson 3901477M1 Radial Seal; Baldwin RS3992; Donaldson P778994; Fleetguard AF25723	O.D. 7.44 I.D. 4.61 Height 15.83	1	3.9	0.81
LAF2343	Addition	White 6810 Tractor	Massey Ferguson 3901478-M1 Radial Seal; Baldwin RS3993; Donaldson P780036; Fleetguard AF25724	O.D. 4.14 I.D. .75 Height 15.04	1	1.3	0.20
LAF2516MXM	Addition	Extended/severe service version of LAF2516	N/A	O.D. 12.50 I.D. 9.13 Height 19.00	1	10.3	1.92
LAF2536MXM	Addition	Extended/severe service version of LAF2536	N/A	O.D. 9.25 I.D. 5.79 Height 23.57	1	7.1	1.37
AF2780	Addition	Ford Explorer, Mercury Mountaineer V8 (2006-07)	Motorcraft FA1780; Wix 49145	Length 15.16 Width 8.07 Height 1.28	3	3.6	0.75
AF2785	Addition	Ford Fusion, Mercury Milan 4 cyl (2006-07)	Ford 6E52-9601-AE; Wix 49114; Motorcraft FA1785; Baldwin PA4175	Length 10.57 Width 6.32 Height 1.97	3	2.5	0.45
AF2786	Addition	Ford Fusion, Mercury Milan V6 (2006-07); Lincoln Zephyr (2006)	Ford 6E52-9601-GA; Wix 49053; Motorcraft FA1786; Baldwin PA4176	Length 8.40 Width 6.32 Height 1.96	3	2.2	0.38
LAF2947	Addition	Chevy Silverado/GMC Sierra w/6.6L Turbo Diesel (2006-07)	GM 15282462, 15918221; Donaldson P605313, P610875; Wix 49184	O.D. Top 8.92 / Bottom 8.86 Height 6.27	1	2.9	0.39
AF2956	Addition	Chevrolet Cobalt (2005-07); Pontiac Pursuit, G5 (2005-07)	GM 21999324; Fram CA9969; Wix 49117	Length 9.38 Width 8.37 Height 1.68	3	2	0.52
* LAF2959	Addition	Chevrolet Express Van; GMC Savana Van 6.6L Turbo Diesel (2006-08)	GM 15102546; Wix 49154 Donaldson P611720	Length 11.16 Width 6.00 Height 6.31	1	2.8	0.42
* G2996	Addition	Workhorse UPS Trucks	Workhorse W0004996	O.D. 2.16 Length 5.88 Inlet/outlet/return line is M16 x 1.5	1	0.5	0.08
AF3076	Addition	Pontiac Solstice (2006-07)	GM 15287103; Wix 49066	Length 14.57 Width 9.55 Height 1.16	3	3.3	1.12
L3103F	Addition	Caterpillar Backhoe/Loaders	Caterpillar 2289130; Wix 33609	O.D. 3.27 / Top 2.73 I.D. N/A Height 7.43	12	10.6	0.75
LAF3236	Addition	Cat D Series Backhoes	Cat 2277448; Wix 49108	Length 8.78 Width 6.20 Height 6.77	1	2.7	0.29
LFP3236	Addition	Mack trucks with ASET engines	Mack 485GB3236; Fram PH9376; Baldwin B7225; Fleetguard LF3973	O.D. 4.28 I.D. 1 1/8 x 16 Height 10.31	6	14.5	0.70
LAF3237	Addition	Cat D Series Backhoes	Cat 2277449; wix 49109	Length 8.18 Width 5.54 Height 1.75	1	0.6	0.10
* LFF3252	Addition	Dodge Ram Pickup (2007-08); RAM 4500, 5500 (2008); Sterling Bullet (2008)	Chrysler 5183410AA; Fleetguard FS43252	O.D. 4.47 Height 9.25 I.D. M105 x 4	1	1.4	1.47
LAF3551MXM	Addition	Extended/severe service version of LAF3551	N/A	O.D. Top 11.72/Btm 10.61 I.D. 6.69 Height 22.50	1	12.9	2.02
AF3897	Addition	Audi A3 / 2.0 L Turbo F Si (2006-07); Volkswagen Passat (2006-07)	Volkswagen 06F-133-843A	Length 15.99 Width 6.84 Height 1.46	6	5.9	0.90
L3924F	Addition	J.C.B. 214 Backhoe - Loaders	JCB 32/925694	O.D. 3.27 I.D. .68 Height 5.02	12	7.9	0.55
LAF3934	Addition	Carrier Refrigeration Unit	Carrier 942642; PA3983-FN; Baldwin Fleetguard AF25440K	O.D. 4.17 Height 4.01 I.D. Top 1.24 / Bottom 1.22	6	3.5	0.43
AF3935	Addition	BMW 3 Series (2006-08)	BMW 13717542294; Wix 49056	Length 10.57 Width 10.43 Height 1.97	3	3.2	0.54
* AF3962	Addition	Volvo S60R, V70R (2004-05)	Volvo 8671488; Wix 42829	O.D. 4.63 I.D. 3.05 Height 12.32	1	1.2	n/a
AF3965	Addition	BMW 525i, 525xi, 530i, 530xi (2004-07); Z4 (2006-07)	BMW 13717521033, 13717521038; Wix 42839	Length 11.58 Width 9.08 Height 1.86	3	3.5	0.73
AF3978	Addition	Jaguar XJ8, XJR, Vanden Plas (2004-07); S-Type (2003-07)	Jaguar AJ82766	Length 11.65 Width 6.73 Height 2.22	3	2.6	0.48
AF3983	Addition	Toyota Prius (2004-07)	Toyota 17801-21040; Wix 49116	Length 11.54 Width 7.75 Height 1.06	3	3.1	0.67

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
AF3991	Addition	Suzuki XL7 (2004-06)	Suzuki 13780-52D00; Wix 42737	Length 10.51 Width 8.86 Height 1.95	3	3.5	0.64
* AF4000	Addition	Hyundai Sonata V6 (2006-07)	Hyundai 28113-3K200; Wix 49052	Length 9.33 Width 8.88 Height 2.30	1	1.4	0.15
AF4002	Addition	Honda Ridgeline (2006-07)	Honda 17220-RJE-A00; Wix 49119	Length 13.15 Width 6.93 Height 1.64	3	3.4	0.62
AF4004	Addition	Toyota Highlander (Hybrid)(2006)	Toyota 17801-20050	Length 6.20 Width 14.37 Height .52	3	2.4	0.65
* AF4006	Addition	Mazda MX5 (2006-07)	Mazda LFG1-13-Z40; Wix 42863	Length 11.97 Width 6.38 Height 1.58	1	0.6	n/a
AF4007	Addition	Saturn ION 4 cyl. 2.2L (2006)	Saturn 15800986; Wix 49054	Length 11.93 Width 7.70 Height 1.42	3	2.8	0.73
AF4008	Addition	Honda Civic 4cyl - 1.8L (2006-07)	Honda 17220-RNA-A00; Wix 49065	Length 8.98 Width 7.80 Height 1.61	3	3.2	0.60
AF4011	Addition	Chrysler PT Cruiser (2006-07)	Chrysler 4891691AA	Length 10.12 Width 6.46 Height 1.65	3	3.2	0.43
AF4012	Addition	Dodge Caliber (2007); Jeep Compass, Patriot (2007)	Chrysler 4891694AA; Wix 49192	Length 12.88 Width 6.56 Height 1.20	3	3.2	0.45
AF4014	Addition	Kia Sedona (2006-07); Hyundai Entourage (2007)	Kia 28113-4D000; Wix 49113	Length 11.93 Width 6.26 Height 2.16	3	4.2	0.67
AF4015	Addition	Toyota Yaris (2006-07)	Toyota 17801-21050	Length 9.45 Width 6.94 Height 1.94	3	1.9	0.48
AF4017	Addition	Toyota Camry (2007)	Toyota 17801-28030	Length 11.69 Width 7.88 Height 1.60	3	2.9	0.84
* AF4019	Addition	Honda FIT (2007)	Honda 17220-PWA-J10; Wix 49086	Length 6.65 Width 5.83 Height 2.01	1	1.2	0.14
* AF4020	Addition	Honda Civic (Hybrid) (2006-07)	Honda 17220-RMX-000; Wix 49157	Length 7.34 Width 7.09 Height 1.38	1	0.6	N/A
AF4021	Addition	Hyundai Santa Fe (2007)	Hyundai 28113-2B000	Length 10.59 Width 6.89 Height 2.40	3	4	0.48
AF4022	Addition	Kia Optima (2007)	Kia 28113-2G000	Length 10.12 Width 7.97 Height 1.65	3	2.7	0.64
* AF4028	Addition	Acura RDX (2007)	Honda 17220-RWC-A01	Length 13.11 Width 6.38 Height 2.05	1	0.92	1.13
AF4033	Addition	Hyundai Elantra (2007-08)	Hyundai 28113-2H000; Wix 49070; Purolator A35779	Length 7.42 Width 7.76 Height 1.95	6	5.6	0.84
* AF4037	Addition	Kia Amanti (2007-08)	Kia 28113-3F900; Wix 49900	Length 11.38 Height 1.61 Width 8.50 / 6.06	1	1.6	0.11
AF4045	Addition	Honda Accord V6 (2008)	Honda 17220-R70-A00	Length 10.30 Width 8.10 Height 1.65	6	6.5	0.83
* LH4369	Addition	Hyster Lift Trucks	Hyster 376066; Baldwin PT7617; Wix 57212; GM 19112725	O.D. 3.93 Height 18.88 I.D. Top 1.24/Bottom 1.56	1	3.5	0.22
P4456	Addition	Cadillac CTS (2003-05)	AC PF2256G; Fram CH9447; GM 88894390; Wix 57079	O.D. 2.05 I.D. .80 Height 4.40	12	3	0.42
LAF4602	Addition	Massey Ferguson Inner Air	Massey Ferguson 3902782-M1; Baldwin RS3995; Donaldson P782107; Fleetguard AF25730	O.D. 4.67 I.D. 4.45 Height 15.22	1	1.5	0.43
LAF4618	Addition	Kenworth W900 Trucks (2005)	Mack 57MD317; Fram CA9870; Baldwin RS4618; Wix 46348; Donaldson P544950	I.D. Top 5.78 / Bottom 6.78 Height 21.23 O.D. Top 11.04 / Bottom 11.41	1	8.2	2.02

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
LFH5004	Addition	DCI HMK05, HMK25 housing assembly; 40 micron version of LFH5013	Leroi 438931; Fleetguard HF6585; Baldwin BT8892-MPG; Donaldson P165672	O.D. 4.71 Height 11.53 I.D. 1 3/4-12 UNS-2B Thd	1	4.8	0.80
LAF5069MXM	Addition	Caterpillar 1327173; Extended/severe service version of LAF5069	Cat 1327173; Baldwin LL2363; Donaldson EAF5038, P182038; Fleetguard AF879M	O.D. 17.63 I.D. Top .93 / Btm 11.03 Height 23.31	1	27	4.74
LFH5083	Addition	Caterpillar 623G Wheel Tractor - Scrapers (high eff version of LFH5075)	Caterpillar 1261814; Wix 57397; Donaldson P170309	O.D. 3.130 Height 9.52 I.D. 2-12 UN-2B	1	2.1	0.08
LFW5142XL	Addition	Volvo extended drain; VNM 630 w/VED12 engine; T670 w/ D13 engine	Volvo 20458771; Baldwin B5145; Fleetguard WF2129	O.D. 3.69 Height 4.18 I.D. M16 x 1.5 - 6H	12	13	0.55
LFF5406	Addition	Freightliner Coronado (2005-06); CC132, FLD 120 SD trucks	Alliance ABPN122R50406; ABPN122R50422; Baldwin BF1375	N/A at this time	6	13.1	0.83
L5467FNXL	Addition	Extended life version of L5467F	Baldwin FS19624	O.D. 3.75 Height 7.04 I.D. Top .66/Bottom closed	12	14.4	1.32
LFF5488	Addition	N/A	Cummins 3959612	N/A at this time	6	11.5	0.45
LAF5633	Addition	Isuzu 2008 NPR	Isuzu 8970622940; Wix 46932; Donaldson P828633, P543614	O.D. 9.25 I.D. 5.16 Height 11.52	1	3.6	0.82
LFF5804	Addition	Caterpillar wheel loaders	Caterpillar 1R0762; Wix 33640; Baldwin BF7753; Fleetguard FF5624	O.D. 3.68 Height 10.5 I.D. 1x14 thread	6	12.2	0.94
LAF5934	Addition	JCB 214 Backhoe-Loaders	JCB 32925682; Donaldson P608533	Length 9.83 Width 5.82 Height 7.13	1	1.9	0.43
LAF5980FP	Addition	Foam pad Pre-Cleaner version of LAF5980 ; Dodge Diesel P/U (2003-07)	Chrysler 53032700AA; Baldwin PA4162; Donaldson P160561; Fleetguard AF26106	Length 10.93 Width 9.93 Height 3.32	3	4.7	1.09
LAF6003	Addition	SDMO generators w/Mitsubishi S3L2, S4L2, LE, S4S and S4Q2 engines	Wix 49166; Donaldson C065003	O.D. 6.50 I.D. 2.25 Height 6.38	1	1.5	0.29
LAF6113	Addition	Cummins - Spin on Coalescer Filter (mounts on intake manifold on Cummins ISX & ISM)	Cummins 3683458,3682984; Mack 279GB43M; Donaldson P566130; Fleetguard AF26113	O.D. 3.02 Height 2.56 I.D. M16 x 1.5 - 6H thd	12	9	0.30
LAF6151	Addition	Bluebird Vision Bus w/Cat C7 engine (2006-07)	BlueBird 0061519	O.D. 9.50 Height 12.90 I.D. Top 4.60/Bottom closed	1	3.3	0.92
LAF6453MXM	Addition	Extended/severe service version of LAF6453	Baldwin LL2456; Donaldson EAF5049, P182049; Fleetguard AF891M	O.D. Top 13.59/Btm 12.75 I.D. Top .94 / Btm 8.38 Height 24.44	1	14.6	2.99
LAF6587MXM	Addition	Extended/severe service version of LAF6587	Baldwin LL1884; Cat 310915; Donaldson P117939; Fleetguard AF418M	O.D. 9.22 I.D. Top .66 / Bottom 4.85 Height 13.50	1	5.8	0.77
* G6627	Addition	Chevrolet Corvette (1997-98)	General Motors 10287788; Wix 33529	O.D. 1.97 Height 5.83 Inlet/Outlet .37	1	0.6	0.51
LAF6632MXM	Addition	Extended/severe service version of LAF6632	Baldwin LL1846; Donaldson EAF5002, P182002	O.D. 12.09 I.D. Top .66 / Bottom 7.72 Height 18.50	1	10.8	1.75
G6633	Addition	BMW 540 Series, 740 Series, X5 (2001-03); 545i (2004)	BMW 13321709535	O.D. 3.00 Height 12.20 inlet/outlet .37	4	5.7	1.01

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
LAF6664	Addition	International 8600 Truck (Radial Seal)	Int'l Harvester 3551815C1; Baldwin RS4863; Fleetguard AF26268	O.D. 9.94 / 5.38 I.D. 7.88 Height 15.44	1	2.6	1.13
LAF6769MXM	Addition	Extended/severe service version of LAF6769	Baldwin LL1885	O.D. 11.09 I.D. Top .65 / Bottom 6.72 Height 16.50	1	8.8	1.33
LFF6770	Addition	Caterpillar 966G, 972G, 980G Wheel loaders	Caterpillar 1R0770; Baldwin BF1284SP; Donaldson P550626; Fleetguard FS19820	O.D. 4.25 I.D. 1 x 14 Height 7.59	12	31	1.20
LFF6771	Addition	Challenger MT835, MT845, MT855, MT865 tractors	Caterpillar 1R0771; Baldwin BF1382-SP	O.D. 4.24 Height 9.17 I.D. 1-14 UNS-2B	12	25	1.44
LAF7716MXM	Addition	Extended/severe service version of LAF7716	N/A	O.D. 11.50 I.D. 8.12 Height 13.50	1	8	1.19
LAF8116MXM	Addition	Extended/severe service version of LAF8116	N/A	O.D. 6.08 I.D. Top .64 / Bottom 3.47 Height 7.50	6	9.5	1.28
LAF8151	Addition	John Deere 8120, 8220, 8320, 8420, 8520 tractors	John Deere RE164839; Wix 42738; Baldwin RS4622; Donaldson P603755	O.D. 13.07 I.D. 6.83 Height 11.70	1	7.2	1.72
LAF8152	Addition	John Deere 8120, 8220, 8320, 8420, 8520 tractors	John Deere RE172447; Wix 42739; Baldwin RS4623	O.D. Top 6.45/Bottom 6.86 I.D. Top closed/Bottom 5.15 Height 10.86	1	2	0.42
LP8213	Addition	Centrifuge Bypass Mercedes MBE906, MBE926 w/EGR engines	Mercedes 9061810086; Baldwin BC7326; Fleetguard CS41008	O.D. 4.06 Height 5.91 I.D. Bottom .25	6	3.5	0.52
LAF8348	Addition	Ford Transit Van (2000-06)	Baldwin PA4793; Fleetguard AF25841	Length 10.94 Width 7.07 Height 2.26	1	1.1	0.17
LAF8407MXM	Addition	Extended/severe service version of LAF8407	Baldwin LL2562; Donaldson EAF5042, P182042	O.D. 14.70 I.D. Top .91 / Bottom 10.31 Height 24.56	1	18.9	3.36
LAF8483MXM	Addition	Extended/severe service version of LAF8483	Baldwin LL2384	O.D. 12.50 I.D. 9.13 Height 15.50	1	9.5	1.58
LAF8494MXM	Addition	Extended/severe service version of LAF8494	Baldwin LL2493; Donaldson EAF5016	O.D. 10.39 I.D. 6.04 Height 27.00	1	12.5	1.87
LH8506	Addition	Cat 320B & 345B excavators	Caterpillar 1262081; Wix 57244; Baldwin PT8436; Fleetguard HF35195; Donaldson P550577	O.D. 5.59 I.D. 3.84 Height 16.71	1	5.1	0.41
L8721F	Addition	Liebherr 5 micron fuel water separator	Liebherr 7381645; Donaldson P550771; Fleetguard FS19572	O.D. 3.27 I.D. .68 Height 5.77	1	7.9	0.70
* G8836	Addition	Corvette (1999-04)	GM 10299146; Wix 33737	O.D. 2.80 Height 5.12 Inlet/Outlet .31	1	0.5	0.00
LAF8838	Addition	Volvo FM Series Trucks (1999-)	Volvo 8149064; Baldwin RS4966; Fleetguard AF25631	O.D. Top 12.66 / Bottom 12.01 I.D. 5.91 Height 16.30	1	13.1	2.03
LAF8839	Addition	Volvo FM Series Trucks (1999-)	Volvo 3979928; Fleetguard AF26162	O.D. Top 5.63/Bottom 7.42 I.D. 5.37 Height 17.36	1	4.2	0.99
LFH8876	Addition	Used on Caterpillar loaders 416B, 426, 426B, 416C, 426C, and 436C	Cat 1194740, 6E0924; Wix 57116; Baldwin BT8417; Donaldson P550486; Fleetguard HF28853; Fram P8317	O.D. 3.05 Height 4.92 I.D. 13/16-16 UN-2B Thd	12	10.6	0.42
LAF9086MXM	Addition	Extended/severe service version of LAF9086	Baldwin LL1886; Donaldson EAF5041, P182041, P185041; Fleetguard AF421M	O.D. 12.09 I.D. Top .89 / Bottom 7.72 Height 16.50	1	9.5	1.57
LAF9100	Addition	Massey-Ferguson 4263, 4270 tractors; White 6410, 6710 tractors	Massey Ferguson 3901476M1; Wix 46829; Baldwin RS3923; Donaldson P780012; Fleetguard AF25722	O.D. 3.37 I.D. 2.92 Height 14.06	1	0.7	0.27
LAF9101	Addition	Massey-Ferguson 4263, 4270 tractors; White 6410, 6710 tractors	Massey-Ferguson 3901475M1; Baldwin RS3922; Wix 46818; Donaldson P778972; Fleetguard AF25721	O.D. 6.22 I.D. 3.70 Height 14.80	1	2.4	0.43
LAF9155MXM	Addition	Extended/severe service version of LAF9155	Baldwin LL1894; Donaldson EAF5039, P182039	O.D. 13.84 I.D. Top .89 / Bottom 9.50 Height 18.50	1	13	2.25

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
LAF9202	Addition	VNL 610 & 630 w/VED12 engine, VN780 w/VED12 engine, VT800 & VT880 w/D16 engine, VNL3000 w/VED16 engine	Volvo 20411816; Wix 49127; Baldwin RS4643; Fleetguard AF26212; Donaldson P605552	O.D. 8.38 Height 18.46 I.D. Top 7.687 / Bottom closed	1	4.4	1.01
LFF9342SC	Addition	ThermoKing Tri-Pac Power Unit	N/A	O.D. 3.68 Height 4.20 I.D. M22 x 1.5	12	19.1	0.85
LAF9538MXM	Addition	Extended/severe service version of LAF9538	Baldwin LL2360-FN; Fleetguard AF1606KM	O.D.Top 5.25/Btm 6.36 I.D. Top .66 / Btm 3.25 Height 15.39	1	3	0.44
LAF9547	Addition	Cat Telehandlers model #s TH330B, TH340B, TH350B and TH360B; Case MXU 100 and 110 tractors; Volvo L50E loader	Komats 6001852510; Gradall 91343059; Volvo 11110283; Cat 2065234; Case 82034614	O.D. 7.29 Height 15.30 I.D. Top 4.16 / Bottom closed	1	2.9	0.60
L9800F	Addition	Dodge Ram pickup (2003-2008) - 6 cyl. 5.9LL Diesel Turbo	Wix 33585XE; Baldwin PF7977; Fleetguard FS19800	O.D.Top 3.41 / Bottom 3.24 I.D. Top closed/Bottom .82 Height 4.10	12	7.9	0.55
CAF24013	Addition	International 9100, 9400 & 9900IX series trucks	Int'l Harvester 1699956C1	Length 13.61 Width 9.97 Height .60	3	1.2	1.12
CAF24014	Addition	Ford AeroMax Truck	Ford F6HZ-19N619-AA; Baldwin PA5337	Length 8.54 Width 6.18 Height 1.34	3	1.5	0.22
CAF24017	Addition	Western Star 4900 Trucks (1995)	Alliance RD384160; Baldwin PA5318; Fram PA10180	Length 11.94 Width 5.48 Height 8.75	3	1.9	0.34
* FW5HD	Change	Added to the "each" program			1	2.1	0.17
* FW6HD	Change	Added to the "each" program			1	2.1	0.17
* FW7HD	Change	Added to the "each" program			1	2.3	0.17
* FW8HD	Change	Added to the "each" program			1	0.8	2.00
* AF31	Change	Added to the "each" program			1	1.7	1.09
LAF120A	Change	Removed from "each" program			1	5.1	0.59
LAF121	Change	Removed from "each" program			6	3.2	0.75
G796	Change	Removed from "each" program			12	11.4	0.83
G855	Change				12	3.1	0.33
P856	Change	Removed from "each" program			12	3.6	0.53
P968	Change					2.6	0.38
G991	Change				12	6	0.58
* AF1088	Change	Added to the "each" program	Non-Returnable		1	1.2	n/a
AF1688	Change	Removed from "each" program			3	1.1	0.53
AF1696	Change	Removed from "each" program			3	2.6	0.59
CAF1705	Change				4	2.8	0.75
CAF1706	Change				4	1	0.81
CAF1739	Change				4	3.4	0.76
CAF1742	Change				4	1.5	0.90
CAF1743	Change				4	1	0.38
CAF1751	Change				4	4.5	0.57
CAF1756	Change				4	2.5	0.73
CAF1758	Change				4	2.4	0.75
CAF1766	Change				4	2.44	0.81
LFW2127	Change					12.1	
P2129	Change	Removed from "each" program			12	3	0.18
* AF2442	Change	Added to the "each" program			1	1.2	0.84
* AF2782	Change	Added to the "each" program			1	1.5	0.83
PH2815	Change					9.7	0.55

* Non-Returnable

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
PH2869	Change	Removed from "each" program			12	7.7	0.27
LAF3119	Change					0.1	0.05
LFP3191	Change				6	15.6	0.76
LAF3654	Change	Application information	New Holland LW170 and 190 loaders, DC180 Dozer; Fiat Allis FR160 and FR160.2 wheel loader				
LAF3707	Change	Removed from "each" program			6	4.5	0.93
* AF3991	Change	Added to the "each" program			1	1.2	0.64
L4595F	Change				6	7.1	0.74
L4596F	Change				6	6	0.74
LFH4943	Change	Removed from "each" program					
LAF6663	Change						1.52
G6896	Change				12	9	0.83
G6897	Change				12	7.1	0.33
* CAF7700	Change	Added to the "each" program			1	1	N/A
CAF7702	Change				4	4.5	0.76
CAF7759	Change				4	5	0.80
AF7935	Change	Removed from "each" program			3	2.3	0.83
AF7964	Change					6.3	1.58
AF7882	Change					2.4	0.60
AF7984	Change	Removed from "each" program			3	2.3	0.48
AF7990	Change	Removed from "each" program			3	2.3	0.58
LFH8594	Change	Removed "special order" status					
LAF8697	Change	Removed "special order" status					
AF8906	Change				6	3.4	1.03
LAF8920	Change					7.6	1.68
AF9010	Change	Removed from "each" program			3	2.1	0.68
* LFF90011	Change	Added to the "each" program			1	0.8	0.07
AF29	Obsolete	Upon depletion of inventory	Non-Returnable				
LP152	Obsolete	Upon depletion of inventory	Non-Returnable				
AF1032A	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by AF3955			
* LAF1818XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF1818MXM			
* LAF1914	Obsolete	Upon depletion of inventory	Non-Returnable				
* LAF2516XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF2516MXM			
LFP3100C	Obsolete	Upon depletion of inventory	Non-Returnable				
LFP3100K	Obsolete	Upon depletion of inventory	Non-Returnable				
LFW4013	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LFW4074			
LFW4016	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LFW4073			
LAF4275	Obsolete	Upon depletion of inventory	Non-Returnable				
4662	Obsolete	Upon depletion of inventory	Non-Returnable				
4664	Obsolete	Upon depletion of inventory	Non-Returnable				
* 4810	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by # 5234			
LH4907G	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LH4582G			

* Non-Returnable

Part Number	Type	Application	Cross Reference Part Numbers	Dimensions	Case Qty	Case Wt.	Cubes Per Ctn.
LFH4997	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LFH5876			
* LAF5069XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF5069MXM			
* LAF6453XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF6453MXM			
* LAF6632XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF6632MXM			
* LAF8163	Obsolete	Upon depletion of inventory	Non-Returnable				
* LAF8167	Obsolete	Upon depletion of inventory	Non-Returnable				
* LAF8407XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF8407MXM			
* LAF8483XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF8483MXM			
* LAF9086XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF9086MXM			
* LAF9155XL	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LAF9155MXM			
LFF22058	Obsolete	Upon depletion of inventory	Non-Returnable	Supercede by LFF5824U			

* Non-Returnable